

Machinery List 19-03-2019



Serba Graphics

Phone us:
New York, USA Phone:
1-(646)-797-3031
eMail: sales@serba-graphics.com

Equipment Total: Offset: **41** Bindery: **7**
Pre-Press: **3** Misc: Diecutters, Slitters, etc: **6**

All offers Subject to Prior Sale.

Offset

Ref #:	Brand	Model	Year	Size	Colors	Impressions	Description	Sales Price
O205	Hamada	800 DX	Inquire	na	1	mil	Needs work?	900 €
O194	Heidelberg	MOZP-S	1991	19.5x25.5 (46x64 cm)	2	64 mil mil	Stream feeder Perfector Press(2-0) + (1-1.) Further photographs available. Available Immediately.	19,000 €
O191	Heidelberg	Speedmaster SM 52-5-P2	1996	14x20 (36x52 cm)	5	24 mil mil	5 Color Press with Perfecting 1-4/5-0 with Numbering; Diagonal Register; Chromed Cylinders; Electronic Sidelay; Double Sheet Control; Decurler; Available Immediately . New Price: 85.000€ Loaded onto Container	85,000 €
O185	Heidelberg	MOZP-S	1991	19.5x25.5 (46x64 cm)	2	79 mil mil	Stream Feeder	24,000 €
O178	Heidelberg	GTO 46	1975	na	1	mil		4,250 €
O179	Heidelberg	GTO 46+	1976	na	1	mil	Plus Version Powder Spray	3,995 €
O175	Heidelberg	Speedmaster SM 74/4 PH	1998	52 x 74 cm	4	78 mil mil	PERFECTING 2/2 4/0 Cleaned and checked	Inquire €
O171	Heidelberg	Speedmaster SM 52-2	1996	14x20 (36x52 cm)	2	53 mil mil	Free from cylinder damage. Available immediately	27,000 €
O200	Heidelberg	Speedmaster SM 74-5-P3 + L	1996	52 x 74 cm	5	157 mil mil	1996 installed in 1997 Perfecting 2+3 or 3+0 Alcolor + Technotrans CPC 1 - 04 CPtronic Autoplate Powder spray Washers Dryer HD-IR + HL-Preset Heidelberg Coating unit High pile delivery Pull lay control with with intermediate tank varnish supply unit 180 l/h ClassicCenter additional double sheet detection lateral sheet separation blowers program-controlled washup device. Machine in good working condition - available immediately. Print test possible. More photos and video on request.	117,500 €

O201	Heidelberg	Speedmaster SM 102-5	2006	28x40/41 (72 x 102 cm)	5	65 mil mil	CP 2000 with memory card Super Blue transfer jackets IPA-Metering conventional Electronical pull lay control Pre-set plus Feeder (New model) Delivery drum D = 258 Pre-set delivery Sheet brake suction roller paper 10 mm Sheet guide water cooled in delivery Dryer cabinet air cooled Grafix Betatronic 100 powder spray Antistatic: ELTEX Power supply 3 Phase 415 Volt Power supply Freq. (Hz) 50 Hertz Documentation English Documentation mechanic English	370,000 €
O202	Heidelberg	Speedmaster SM 102 VP + L	1988	28x40/41 (72 x 102 cm)	4	174 mil mil	Available: Immediately	69,000 €
O203	Heidelberg	GTOVP 52	1980	14x20 (36x52 cm)	4	62 mil mil	2/2 or 4/0 NP Group, all accessories In production, nice condition, Available in January	29,500 €
O206	Heidelberg	GTO 52 +	1991	14x20 (36x52 cm)	1	15 mil mil	Aquatron dampening Plus version	7,000 €
O213	Heidelberg	Printmaster QM46-2	2001	12/13x18	2	mil		2,500 €
O216	Heidelberg	Speedmaster 72 F	1993	28x40/41 (72 x 102 cm)	5	152 mil mil	Straight machineCPC 1-03 with light pen and cassette Chromed impression cylinders Chromed plate cylinders Grafix IR dryer Grafix Exatronic powder spray Steel Plate in Feeder and Delivery Non stop delivery	96,500 €
O217	Heidelberg	Speedmaster 72 FP	1991	28x40/41 (72 x 102 cm)	5	125 mil mil	Perfecting 1/4 or 5/0 Steel Plate in Feeder and Delivery Weko T77 Powder Spray Grafix IR Dryer 2/4	92,000 €
O219	Heidelberg	CD 74 5 + LX	2004	60 x 74 cm	5	mil		Inquire €
O182	HP	Indigo 7000	2005	na	4	35 mil mil	Max.Size: 48 x 33 cm (18 x 12 inch) Machine running Cleaned and checked Print test possible 120ppm 4 colors 240ppm white black HP SmartStream server	Inquire €
O181	HP	INDIGO PRESS 5000	2005	na	6	mil		37,500 €

O193	Komori	Lithrone 529 +L	2011	52 x 74 cm	5	9 mil mil	PQC-S Press Controls, KHS-AI, PDC-Lite II, Paper Size Presets Paper Thickness Presets Auto Impression Cylinder Washers Harris & Bruno Anilox Coating Unit IR drying and Hot air Graphiset Powder spray Unit Grafix Powder Max	Inquire €
O189	Komori	Lithrone 440	1997	72 x 104 cm	4	142 mil mil	PQC. I. KMS I. Decurler AMR Cooling Device	Inquire €
O176	Komori	Sprint 226 P	1990	20x26-28 (51 x 72 cm)	2	88 mil mil	1/1 or 2/0 Convertible perfecter with centralized operation control In production, complete with all accessories, lot of spare rollers	15,500 €
O174	Komori	L 428 ES	1994	20x26-28 (51 x 72 cm)	4	mil	MODEL ES PQC Available now and can be inspected in production any time.	79,000 €
O199	Komori	Enthrone 429	2012	52 x 74 cm	4	6 mil mil	Touch-screen Control CIP PqcU - PCC - CIP3 - Technotrans alpha d. - Pdcc SII -AMR - SAPC - Like new-	239,500 €
O210	Komori	Lithrone L540	1993	28x40/41 (72 x 102 cm)	5	155 MIL mil	PQC No chromed cylinders Combi IVT dryer The Komori L540 is in a closed print shop, without electric power, cylinders & gears are free from damage.	Inquire €
O214	Komori	755XL-E	2007	na	5	86 mil mil	RYOBI PCS-H Printing Control System • RYOBI Program Inking (Build Into the PCS-H) • RYOBI-matic Continuous Dampening System • E Type XL Extended Delivery • RYOBI Retractable Coater • Harris & Bruno DUO Anilox Coating System (this press has been pure UV exclusively but does come with the aqueous pumping system) • Eltosch UV & Hot Air/IR Dryer (2 lamps inner deck and 2 lamps in delivery) • Suction Tape Feeder Board • Pull Side Guide Preset System • Sheet Size and Impression Preset System • Pamarco Ink Sentinel System • Technotrans Combination Chiller for Ink Rollers and Fountain Solution • Front Lay Micro Adjustment Device (manual) • RYOBI Semi-Automatic Plate Changer • Plate Register Remote Control Device • Double Sheet Detectors • Skewed Paper Detector • Front Lay Paper Stopper • OK Monitor • Various Safety Devices (certified under global safety standard) • Includes All Standard Accessories, Software, Tools and Manuals • Nonstop Feeder with Steel Plate • Automatic Ink RollerCleaner • Ink Volume Setting Software (IVS) • Print Density System (PDS-E Status T)	Inquire €

O192	Man Roland	304-HOB	2002	52 x 74 cm	4	mil	RCI Preset Plate Cocking, CPL - Semi Automatic Plate Change	Inquire €
O188	Man Roland	704-3B	2000	75 x 105 cm	4	126 mil mil	Spectrophotometer in RCI (Just fitted to the press last year for 20.000 €) 4/0 and 2/2 with Perfecting Automatic Preset in Feeder and Delivery Automatic Ink Zones Preset PECOM Machine prepared for Cardboard with Skeleton Transfer Cylinders and Double Diameter Impression Cylinders Ink Rollers Temperature Control Technotrans beta.d Cooling and Reciprocating Device Plate Puncher and Bender Device Included Ink and dampening rollers in good shape Powder Dust Suction	Inquire €
O186	Man Roland	202 TOB	1989	52 x 74 cm	2	mil		11,500 €
O180	Man Roland	708 High Pile Perfector 4/4	2001	72 x 104 cm	8	114 mil mil	Rolandmatic Dampening RCI High Pile Perfector 4/4	230,000 €
O177	Man Roland	204 E	2004	52 x 74 cm	4	115 mil mil	Aquapress chiller, RCI-2 Ink Control Remote, BALDWIN blanket wash-up device, Automatic paper size setting, , Suction feed board, GRAFIX Digitronic Powder Spray, Antistatic complete, Cardboard device.	Inquire €
O172	Man Roland	306 + L	1998	60 x 74 cm	6	160 mil mil	Perfecting 6+0 or 5+1 CPL Rolandmatic Coater tower Anilox + IR Punching plate device, books & tools In production, Test possible. Available immediately.	79,000 €
O207	Man Roland	304 P	1996	52 x 74 cm	4	88 mil mil	Speed: 15.000 s/h Perfecting 2/2 RCI off press desk control presets Weko powder spray	58,000 €

O209	Man Roland	708 LTTLV	2003	75 x 105 cm	8	mil	8 Color with 2 Coating Towers Maximum Sheet size 740 x 1040mm Raised 300mm 15,000 SPH Non Stop Feeder & Delivery Intercom System Doyle Sheet Cleaner Ink Agitators RCI Grapho Metronic Colour Register CIP 3 Link Technotrans Chillers (Water Cooled) Presets Chilled Inking Rollers 1 Eltosch Interdeck UV after Unit Print Unit 8 Anilox Tower Coater 1 UV Drying Tower 1 IR Drying Tower Anilox Tower Coater Eltosch UV IR & Hot Air in Delivery	Inquire €
O212	Man Roland	305	1997	52 x 74 cm	5	198 mil mil	2-3 or 5 color Quick action plate clamps (no autoplate) Machine is taken of the main power and have to move.	41,500 €
O190	Mitsubishi	1 G-5+CX	1999	na	5	mil	5 Color Press + Coating Unit; Max. Size: 520 x 720 mm; Mitsubishi Alcohol Dampening System; Technotrans Alpha Refrigeration; Ink Temperature Control; Complete and in Working Condition.	Inquire €
O187	Mitsubishi	Diamond 3000 TP	2006	28x40/41 (72 x 102 cm)	10	74 mil mil	SPC; IPC System; Control Console API III; Spectrophotometer; Baldwin IR Dryer; Ink Roller Temperature Control; Technotrans Beta6 Refrigeration and Recirculation Mitsubishi Diamond Dampening System; Grafix Megatronic-S Powder Spray	Inquire €
O215	Mitsubishi	V3000LS-5	2010	28x40/41 (72 x 102 cm)	5	175 mil mil	-API -IPC III -APC -Cocking -Preset -CIP3 -Ink & blanket auto washer -Preloader -Nikka water cooling & circulator -Monitor plate puncher & bender -Extra rubber rollers -No damaged, no repaired on cylinders, gears -Photos & price : on request	Inquire €

O184	Sakurai	Sakurai 475 SD	2004	na	4	21 mil mil	<ul style="list-style-type: none"> Max.Size: 79 x 60 cm (31 x 23 inch)* Touch Screen Control * Double Diameter of Cylinders * Automatic Washers * SAS - Sakurai Auto Set * SCC III - Separate Control Desk with Ink and Register Remote Control * Diagonal Remote Control * Double Ultrasonic Detector * Preset * Auto Preset Registration * Auto Preset Pressures * SIS Sakurai Interactive System * Olivermatic alcohol dampening * Automatic Plate Change * High Pile * CIP-3 * IR dryer * Excellent Condition, machine is in production 	Inquire €
O183	Sakurai	Oliver 252EII	1997	14x20 (36x52 cm)	2	37 mil mil	Very nice condition Olivermatic Dampening	13,500 €
O204	Sakurai	Oliver 258 EP	1991	na	2	33 mil mil		6,500 €

sales@serba-graphics.com

Bindery

<i>Ref #:</i>	<i>Brand</i>	<i>Model</i>	<i>Year</i>	<i>In Production?</i>	<i>Description</i>	<i>Sales Price</i>
B109	Kolbus	BF 511 hardcover line	2006	Yes	<p>Technical details:</p> <p>the range of formats: Width x Height x Thickness the block format max. (mm) 280 x 375 x 80 the block format min. (mm) 100 x 100 x 2 the opened cover: min. 210 x 105 mm ***** max 660 x 385 mm ***** additional format 155 x 105 mm maximum performance 30 cycles/ min. counter : 28 mil. books The machine consists of :</p> <p>cut sheet feeder section AR (back-rounding , the formation of the spine of the book block) section HL (gluing on the book back spine, applying of crash) section EMP (cover feeding station, profiling the spine of the cover, pasting-up, case binding) section FE (formatting of the book, joint of book, ironing device) section HB (the preheating prior to bonding the back surface of the book) Available now Test possible Complete and in working condition</p>	Inquire €

B107	Muller Martini	Starbinder 3006/18 Complete line	1992	Yes	<p>Perfect Binding COMPLETE line Size max: 42 x 30 cms. -Type 3006 with 18 clamps, Year 1992 -Milling and notching stations -Hotmelt spine and side gluing with premelter tanks -Pile cover feeder and pressing station, 28.000 hours of work -12 stations of gatherer type 201 with conveying system to the 3006/18 -Criss-Cross -Book block feeder -Muller Martini 3670 Three knife trimmer -Stacker OMG Cucciolo -Muller Martini automatic shrink wrap tunnel -Waste extractor -Available immediately</p> <p>Max. book block size : 420 x 305 x 60 mms. Min. book block size : 140 x 100 x 3 mms. Mechanical speed : from 1.200 up to 6.000 cycles/hour</p>	43,500 €
B106	Muller Martini	Prima 2+1	1998	Yes	<p>Machine consisting of : 2 double universal bases 1 single universal base 2 signature feeders 370 1 cover folder feeder 1528 Oblique sheet monitor Thickness control (+ and -) Stitching unit 390 with 2 stitching heads Electronic stitch control Trimmer 360 Pump All books</p>	28,000 €
B110	Polar	92 EM	1984	Yes	92cm/36 inch	6,850 €
B104	Wohlenberg	115	1996	Yes	<p>WOHLENBERG 115 1996 Complete line Program cells Air table Baumann Jogger Extra right side tables Autotrim</p>	Inquire €

B108	Wohlenberg	A 43 E Trimmer	1978	Yes	Age: 1978- Size max: 43 x 30 cms. ----- Description: -Year 1978, Totally rebuilt in 2004 -Automatic infeed with long belt delivery -Up to 45 cuts per minute (2700 cuts/h.), 15-45 piles/min. -Electro-magnetic clutch with photoelectric cell control -Trimmed size from 80x50 mm to 430x300 mm -Pile height : 120 mm, in production complete with all accessories	8,500 €
B111	Wohlenberg	76 PR	1976	Yes	76 cm/29 inch	3,000 €

sales@serba-graphics.com

Pre-Press

Ref #:	Brand	Model	Year	In Production?	Description	Sales Price
P53	Agfa	ACENTO S	2005	Yes	AGFA ACENTO S 89.000 plate winding cycles. 6522 hours exposure. AGFA plate charger - 1 Plate size. MDT 26 convoyer. C85 AZURA Plate processor. PST26 Stacker. RIP APOGE V4.2	22,000 €
P54	Agfa	Avalin VLF 60 XT ELITE CTP	2007	Yes	Ca. 12 plates/hour. (Maximum size) Manual plates loading Maximum Plates : 1.525 mm. x 1.270 mm. Agfa-Elantrix 150 Online-Plates developper Transfertable and Washgum with Stacker Quantity of Plates : 35.000 Plates exposed Software: PrintDrive Available now. The machine is tested and checked by AGFA with Certificate Pricing & Pictures upon request	Inquire €
P55	Agfa	Avalon LF XT CTP	2007	Yes	CTP - AGFA AVALON LF XT - YEAR 2007. Apogee program - Bacher punch - 2 cassettes. Max plate size: 1160 x 940 mm Min plate size: 304 x 370 mm Plate thickness 0,15 - 0,3 mm Thermo plates - Capacity 27 P/H Life time laser: 30.000 hours FULLY SERVICED BY AGFA. SUPER CONDITION	14,500 €

sales@serba-graphics.com

Misc: Diecutters, Slitters, etc

Ref #:	Brand	Model	Year	In Production?	Description	Sales Price
M13	Bobst	DOMINO 90 FOLDER GLUER	1990	Yes	Year 1990 Max. size 900 mm Max. speed 450 m/min Straight line boxes Crash-lock bottom Machine delivered totally overhauled	Inquire €
M14	Bobst	PCR 930	1971	Yes	General refurbishment in 2005 Max width 93 cm Pre-folding unit, 1 disc gluing unit APC system 4 nozzle glue points Crash lock bottom Delivery conveyor Machine in production, test possible, available immediately. More photos and video on request.	26,500 €
M10	Bobst	SP-104 E	2003	Yes	max size 1040*740 mm min size -400*350 mm max speed 8500s/h max thickness of corrugated cardboard 4 mm Make your offer	275,000 €
M11	Bobst	SP 142 E AUTOPLATEN	2002	Yes	Minimum size 700 x 500 mm Maximum size 1420 x 1020 mm Production speed 6500 s/h Max pressure 600 t - Reinforced transport equipment - Compensating plate - Settable centering - Adjustable supporting plate centerings - Pivoting presetting table - VISIBLE IN PRODUCTION	Inquire €
M12	Bobst	SP 142 E AUTOPLATEN	1992	Yes	Max size: 1420 x 1020 mm Min size: 700 x 500 mm Max speed: 6.500 s/h Machine elevated 650 mm Completed with chase loader Visible in production	Inquire €
M15	Kolbus	EMP 40	1980	Yes	casing size max: 270x365x80 mm size min: 100x100x6 mm speed: 40/Min with case bender DBA checked & cleaned	38,950 €

Disclaimer

As with most dealers, we sell a combination of machines that we own, machines listed from printing companies and select dealers within our network. Buyers may be asked to sign and return a Non-Circumvention agreement prior to inspection of any equipment. Any deposits paid are always returned to the buyer if the sale for any reason does not conclude. Machinery is sold as-is, where-is unless otherwise stated in the invoice. Please allow ample time for dismantling and loading. If unsure about anything, simply call or email to inform yourself.